



Crack & Crevice Treatment Preparation Instructions

Treatment Date:

Time:

Access

1. Pull all belongings and furniture 18" from walls including closets to allow access to baseboards and electrical outlets for inspection/treatment.
2. Empty floor space of closets to allow treatment of baseboards.
3. Unplug all electronics to allow pest control to remove outlet covers for treatment into wall voids. If there are electronics that cannot safely be unplugged, please notify pest control.
4. Clean floor of toys, trash belongings. Empty dishes, toys or sensitive items from beneath beds for treatment.
5. Keep all dishes and food prep surfaces covered during treatment, and wash all food prep surfaces afterward. This is a precautionary step in case of accidental overspray. It is not required for the crack and crevice treatment itself, since the product stays confined to cracks, voids, and baseboards rather than open surfaces.

Precautions & Disclosure

- Avoid wet cleaning of treated areas for 2 weeks.
- Pets should be removed from unit for duration of treatment and 4 hour re-entry interval. If you cannot remove pet, they can be left in the bathroom with a towel placed against bottom of door. Leave a note on the door to notify pest control of pet inside. Drape a towel over any aquariums, terrariums and make sure to shut off heat lamps and air pumps to prevent fire hazard. Contact pet dealer if turning these off may risk the health of your pet(s).
- Once treatment begins, you cannot re-enter the apartment for four hours so be sure to remove any medications, cell phone, money, keys, any items you may need during that time.
- Apartments are safe to re-enter after the re-entry time posted on the door hangar outside the entry door. If you experience any unpleasant smells, open windows to help reduce the odor.
- Please notify your landlord, property manager or pest control if there are any pregnancies or medical concerns with the treatment. We can send pesticide label(s) and Safety Data Sheet(s) to discuss with your doctor prior to treatment.